



# ***Power Supply News-*** ***+/-48V DC/DC power supply available!***



## **MPD-F113-V DC/DC isolation module available now!**

### **SPECIFICATION**

- I/P : 30-120 VDC, Typical +/- 48VDC
- O/P: 110W fan-cooled /90W convection
- Compact size 2 x 5 inch
- Meets EMI EN 55022 / CISPR 22 & FCC Part 15
- High efficiency up to 90%.
- Fully isolated Primary to Secondary; Primary to Earth Ground.

● Input polarity reversed protection.

[For more information,click here visit website!](#)

## **Application**

MPD-F113-V can be widely used on Telematics, Train, Telecommunications ,  
Netcom appliances and marine computers.

[Contact Us for More Detail!](#)

## Other DC/DC Solutions



### **MPD-S100 Series**

I/P: 9~32VDC,

Typical 12,24VDC

O/P Watt: 100W/70W

O/P Voltage:12V,24V

Compact size 2x4 inch



### **MPD-F113-1/-2**

I/P: 9~32VDC,

Typical 12,24VDC

O/P Watt:110W/70W

O/P Voltage:12V

Compact size 2x5 inch

More new project and upgraded products coming soon.

For more info, please contact us via [sales@mgpower.com](mailto:sales@mgpower.com)

We are more than pleased to help you.

*Magic Power, Make it Possible.*